# MYH6 gene

myosin heavy chain 6

### **Normal Function**

The MYH6 gene provides instructions for making a protein known as the cardiac alpha  $(\alpha)$ -myosin heavy chain. This protein is found in heart (cardiac) muscle cells, where it forms part of a larger protein called type II myosin. Type II myosin helps generate the mechanical force that is needed for cardiac muscle to contract, allowing the heart to pump blood to the rest of the body.

Type II myosin is one of the major components of cell structures called sarcomeres. These structures are the basic units of muscle contraction. Sarcomeres are composed of thick filaments made up of type II myosin and thin filaments made up of another protein called actin. The overlapping thick and thin filaments attach to each other and release, which allows the filaments to move relative to one another so that muscles can contract. Sarcomeres also appear to have an important role in the early development of structures in the heart.

# **Health Conditions Related to Genetic Changes**

familial dilated cardiomyopathy

## sick sinus syndrome

At least one variation of the *MYH6* gene has been associated with an increased risk of developing sick sinus syndrome. This condition affects the function of the sinoatrial (SA) node, which is an area of specialized cells in the heart that functions as a natural pacemaker. The variation, which was identified in the Icelandic population, changes a single protein building block (amino acid) in the  $\alpha$ -myosin heavy chain. Specifically, it replaces the amino acid arginine with the amino acid tryptophan at protein position 721 (written as Arg721Trp). Researchers found that about half of the people in their sample who had the Arg721Trp variation developed sick sinus syndrome during their lifetime, compared with about 6 percent of people who did not carry the variation. They speculated that the variation may alter the structure of the  $\alpha$ -myosin heavy chain and disrupt its usual role in cardiac muscle contraction. These changes could alter the way the heart beats in some people, leading to an abnormally slow heartbeat (bradycardia) and related symptoms such as dizziness, light-headedness, and fainting (syncope).

### other disorders


Mutations in the MYH6 gene have been found to cause several additional heart conditions. These include congenital heart defects, particularly atrial-septal defect (ASD), which is a hole in the wall (septum) that separates the two upper chambers of the heart (the atria). Most of the MYH6 gene mutations associated with ASD affect a part of the  $\alpha$ -myosin heavy chain known as the head domain. This part of the protein is involved in attaching (binding) type II myosin to actin. Abnormal interaction between these two proteins may disrupt early heart development, leading to heart defects such as ASD.

*MYH6* gene mutations can also cause two diseases of the cardiac muscle, dilated cardiomyopathy (DCM) and hypertrophic cardiomyopathy (HCM). DCM weakens and enlarges the heart, while HCM is characterized by thickening (hypertrophy) of the cardiac muscle. Both of these conditions prevent the heart from pumping blood efficiently and increase the risk of heart failure and sudden death. Mutations associated with DCM and HCM can affect any part of the  $\alpha$ -myosin heavy chain, and most change single amino acids in the protein. These changes likely alter the  $\alpha$ -myosin heavy chain in ways that affect the structure and function of cardiac muscle.

### **Chromosomal Location**

Cytogenetic Location: 14q11.2, which is the long (q) arm of chromosome 14 at position 11.2

Molecular Location: base pairs 23,381,990 to 23,408,277 on chromosome 14 (Homo sapiens Annotation Release 108, GRCh38.p7) (NCBI)



Credit: Genome Decoration Page/NCBI

### Other Names for This Gene

- alpha-MHC
- ASD3
- CMD1EE
- CMH14

- MYH6 HUMAN
- MYHC
- myHC-alpha
- MYHCA
- myosin-6
- myosin heavy chain, cardiac muscle alpha isoform
- myosin, heavy chain 6, cardiac muscle, alpha
- myosin, heavy polypeptide 6, cardiac muscle, alpha (cardiomyopathy, hypertrophic
   1)
- SSS3

## **Additional Information & Resources**

## **Educational Resources**

- Molecular Cell Biology (fourth edition, 2000): Myosin: The Actin Motor Protein https://www.ncbi.nlm.nih.gov/books/NBK21724/
- Neuromuscular Disease Center, Washington University: Myosin and Associated Muscle Proteins http://neuromuscular.wustl.edu/mother/myosin.htm

## Scientific Articles on PubMed

PubMed

https://www.ncbi.nlm.nih.gov/pubmed?term=%28MYH6%5BTIAB%5D%29+AND+%28%28Genes%5BMH%5D%29+OR+%28Genetic+Phenomena%5BMH%5D%29%29+AND+english%5Bla%5D+AND+human%5Bmh%5D+AND+%22last+3600+days%22%5Bdp%5D

## OMIM

- ATRIAL SEPTAL DEFECT 3 http://omim.org/entry/614089
- CARDIOMYOPATHY, DILATED, 1EE http://omim.org/entry/613252
- CARDIOMYOPATHY, FAMILIAL HYPERTROPHIC, 14 http://omim.org/entry/613251
- MYOSIN, HEAVY CHAIN 6, CARDIAC MUSCLE, ALPHA http://omim.org/entry/160710

### Research Resources

- Atlas of Genetics and Cytogenetics in Oncology and Haematology http://atlasgeneticsoncology.org/Genes/GC\_MYH6.html
- ClinVar https://www.ncbi.nlm.nih.gov/clinvar?term=MYH6%5Bgene%5D
- HGNC Gene Family: Myosin heavy chains http://www.genenames.org/cgi-bin/genefamilies/set/1098
- HGNC Gene Symbol Report http://www.genenames.org/cgi-bin/gene\_symbol\_report?q=data/ hgnc\_data.php&hgnc\_id=7576
- NCBI Gene https://www.ncbi.nlm.nih.gov/gene/4624
- UniProt http://www.uniprot.org/uniprot/P13533

## Sources for This Summary

- Carniel E, Taylor MR, Sinagra G, Di Lenarda A, Ku L, Fain PR, Boucek MM, Cavanaugh J, Miocic S, Slavov D, Graw SL, Feiger J, Zhu XZ, Dao D, Ferguson DA, Bristow MR, Mestroni L. Alphamyosin heavy chain: a sarcomeric gene associated with dilated and hypertrophic phenotypes of cardiomyopathy. Circulation. 2005 Jul 5;112(1):54-9.
   Citation on PubMed: https://www.ncbi.nlm.nih.gov/pubmed/15998695
- Granados-Riveron JT, Ghosh TK, Pope M, Bu'Lock F, Thornborough C, Eason J, Kirk EP, Fatkin D, Feneley MP, Harvey RP, Armour JA, David Brook J. Alpha-cardiac myosin heavy chain (MYH6) mutations affecting myofibril formation are associated with congenital heart defects. Hum Mol Genet. 2010 Oct 15;19(20):4007-16. doi: 10.1093/hmg/ddq315. Epub 2010 Jul 23. Citation on PubMed: https://www.ncbi.nlm.nih.gov/pubmed/20656787
- Hershberger RE, Norton N, Morales A, Li D, Siegfried JD, Gonzalez-Quintana J. Coding sequence rare variants identified in MYBPC3, MYH6, TPM1, TNNC1, and TNNI3 from 312 patients with familial or idiopathic dilated cardiomyopathy. Circ Cardiovasc Genet. 2010 Apr;3(2):155-61. doi: 10.1161/CIRCGENETICS.109.912345. Epub 2010 Mar 9.
   Citation on PubMed: https://www.ncbi.nlm.nih.gov/pubmed/20215591
   Free article on PubMed Central: https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2908892/

- Holm H, Gudbjartsson DF, Sulem P, Masson G, Helgadottir HT, Zanon C, Magnusson OT, Helgason A, Saemundsdottir J, Gylfason A, Stefansdottir H, Gretarsdottir S, Matthiasson SE, Thorgeirsson GM, Jonasdottir A, Sigurdsson A, Stefansson H, Werge T, Rafnar T, Kiemeney LA, Parvez B, Muhammad R, Roden DM, Darbar D, Thorleifsson G, Walters GB, Kong A, Thorsteinsdottir U, Arnar DO, Stefansson K. A rare variant in MYH6 is associated with high risk of sick sinus syndrome. Nat Genet. 2011 Mar 6;43(4):316-20. doi: 10.1038/ng.781. Citation on PubMed: https://www.ncbi.nlm.nih.gov/pubmed/21378987
  Free article on PubMed Central: https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3066272/
- Posch MG, Waldmuller S, Müller M, Scheffold T, Fournier D, Andrade-Navarro MA, De Geeter B, Guillaumont S, Dauphin C, Yousseff D, Schmitt KR, Perrot A, Berger F, Hetzer R, Bouvagnet P, Özcelik C. Cardiac alpha-myosin (MYH6) is the predominant sarcomeric disease gene for familial atrial septal defects. PLoS One. 2011;6(12):e28872. doi: 10.1371/journal.pone.0028872. Epub 2011 Dec 14.

Citation on PubMed: https://www.ncbi.nlm.nih.gov/pubmed/22194935
Free article on PubMed Central: https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3237499/

# Reprinted from Genetics Home Reference: https://ghr.nlm.nih.gov/gene/MYH6

Reviewed: August 2013 Published: March 21, 2017

Lister Hill National Center for Biomedical Communications U.S. National Library of Medicine National Institutes of Health Department of Health & Human Services